



कुमारभास्करवर्मसंस्कृत-पुरातनाध्ययनविश्वविद्यालयः
কুমার ভাস্কর বর্ম সংস্কৃত জ্ঞান পুরাতন অধ্যয়ন বিশ্ববিদ্যালয়
Kumar Bhaskar Varma Sanskrit & Ancient Studies University

Namati-781337 Nalbari
 Website: www.kbvsasun.ac.in :: Email Id: kbvsasun@rediffmail.com

No: KBVS&ASU/CC/21-2014-

Date: 30/07/2024

NOTICE INVITING QUOTATIONS

Sealed Quotations are invited (offline) **urgently** from Registered Firms/Contractor for “**Raising of Ground with CC flooring & steps around the existing 11 KV transformer**” for Kumar BhaskarVarma Sanskrit and Ancient Studies University”, Namati, Nalbari-781337, Assam. The Bid should be submitted in two Bid systems in two separate sealed envelopes i.e. **TECHNICAL BID** and **FINANCIAL BID**. The University reserves all the right to reject any or all the tenders without assigning any reason.

Raising of Ground with CC flooring & steps around the existing 11KV transformer at the campus of KBVS&ASU, Nalbari for the year of 2024-25

1	Date of Publishing of Quotations	30/07/2024
2	Last date of Bid submission	05/08/2024 up to 12:00PM
3	Publication of Quotation	www.kbvsasun.ac.in (website)
4	Place of Bid Submission	Office of The Registrar, Kumar BhaskarVarma Sanskrit and Ancient Studies University, Namati, Nalbari-781337, Assam
5	Place of Bid Opening	VC's conference Hall, Ground Floor, Administrative Building, KBVS&ASU University
6	Tender opening date and time	05/08/2024 at 12:30 PM
7	Approx. value of work (Rs.)	84,000.00
8	Cost of tender document Nonrefundable (Rs.)	500.00
9	Time of completion	15 days

The firms/contractor/agency will have to pay non-refundable Rs. 500/- (rupees five hundred) only at account branch through online payment mode and enclosed the money receipt to participate in quotation.

The Quotation Documents can be downloaded from the University website. For further details, visit “www.kbvsasun.ac.in”. All are requested to attend on the day of tender opening. Any further clarification including corrigendum, amendments, time extension, etc. to the above tender will be posted in the website only. Bidders should therefore request to visit the University website regularly.

Sd/-
Registrar, i/c

Copy to:

1. O/o the Vice Chancellor
2. O/o Executive Engineer PWD (B), Nalbari Division
3. O/o Accounts Branch
4. Notice Board
5. Office File

Sd/-
Registrar, i/c



कुमारभास्करवर्मसंस्कृत-पुरातनाध्ययनविश्वविद्यालयः

কুমার ভাস্কর বর্মা সংস্কৃত জ্ঞান পুরাতন অধ্যয়ন বিশ্ববিদ্যালয়

Kumar Bhaskar Varma Sanskrit & Ancient Studies University

Namati-781337 Nalbari

Website: www.kbvsasun.ac.in :: Email Id: kbvsasun@rediffmail.com

Terms and Conditions

- The Quotations will be opened by the **Quotation Opening Committee** in presence of bidder's representative, if available. Only one representative will be allowed to participate in the tender opening. In the event of the due date of receipt and opening of the tender being declared as a holiday for the University, then the due date of receipt/opening of tender will be the next working day at the same time.
- The bidder should submit their hard copies of the tender documents only through registered post/by hand in the tender deposit box. The sealed envelopes should be clearly indicating "**QUOTATIONS** for *Raising of Ground with CC flooring & steps around the existing 11 KV transformer*".
- NO BID DOCUMENT WILL BE ACCEPTED BY EMAIL.**
- The Firm should sign at the bottom space of all pages of document.
- If any item is delivered in damaged condition, should be replaced with new ones immediately.
- If the items damaged or defect during the time period of warranty/ guarantee (whichever is applicable), the Supplier should be replaced within two working days with his/her own cost.
- Payment will be made subject to the work satisfaction along with completion certificate and availability of fund.
- GST registration certificate and PAN to be enclosed by the bidders.
- The items must be supplied within stipulated date and time of placing orders.
- The rates should be inclusive of all taxes.
- The bidder should furnish attested copies of all the documents.

Terms of Disqualifications

The University reserves the right to reject bids in the following cases:

- If the Bids are not accompanied by Demand Draft.
- If the Bids are received after due date and time.
- If the Bids not accompanied by all requisited documents.
- If the Bids not substantially responsive and does not meet our requirements.
- If the bidder submits the bid specifying his own terms and conditions.
- Information submitted in technical bid is found to be misrepresented in correct or false.

Sd/-

Registrar, i/c

Raising of Ground with CC Flooring & Steps around the Existing 11KV Transformer at The Campus Of KBVS & AS University, Nalbari For The Year Of 2024-25

Sl. No.	DSR 2021	Description of work	No		L		B		H		Unit	Rate	Quantity	Amount
1.0		EARTH WORK :												
1.1		Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed. within a lead of 50									cum		2.250	0.00
	2.8.1	All kinds of soil												
			4	X	1	X	0.75	X	0.75	=		2.25		
1.2	2.25	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.									cum		1.463	
			4	X	0.75	X	0.75	X	0.65	=		1.46		
1.3	2.25(a)	Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete.									cum		15.795	
			1	X	3.9	X	5.4	X	0.75	=		15.795		
2.0		SOLING												
2.1	11.10	Brick on edge flooring with bricks of class designation 7.5 on a bed of 12 mm cement mortar, including filling the joints with same mortar, with common burnt clay non modular bricks: 1 cement : 6 coarse sand									sqm		23.310	
		Foundation	4	X	0.75	X	0.75			=		2.25		
		Floor	1	X	3.9	X	5.4			=		21.06		
3.0	4.1	PCC WORKS												
3.0		Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :									cum		0.225	
	4.1.5	1:3:6 (1 Cement : 3 coarse sand (zone-III) : 6 graded stone aggregate 20 mm nominal size)												
			4	X	0.75	X	0.75	X	0.1	=		0.225		

Sl. No.	DSR 2021	Description of work	No		L		B		H		Unit	Rate	Quantity	Amount
4.0		RCC WORK												
4.0		Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard									cum		1.935	
	5.33.1.1	Concrete of M25 grade with minimum FOUNDATION	4	X	0.6	X	0.6	X	0.25	=	0.36			
			4	X	0.25	X	0.25	X	0.65	=	0.16			
		TIE BEAM	2	X	3.9	X	0.25	X	0.25	=	0.49			
			2	X	5.4	X	0.25	X	0.25	=	0.68			
		COLUMN	4	X	1.0	X	0.25	X	0.25	=	0.25			
5.0	5.90	SHUTTERING AND FORM WORK												
5.0		Centering and shuttering including strutting, propping etc. and removal of form for									sqm		0.250	
	5.9.1	Foundations, footings, bases of columns, etc. for mass concrete	4	X	0.25	X	0.25	X	1	=	0.25			
5.0	5.9.5	Lintels, beams, plinth beams, girders, bressumers and cantilevers	2	X	3.9	X	0.25	X	2	=	3.9		9.300	
			2	X	5.4	X	0.25	X	2	=	5.4			
6.0		BRICK WORK												
6.0	6.13	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.									sqm		11.025	
	6.1.1	Cement mortar 1:4 (1 cement : 4 coarse sand)	1	X	3.9	X	0.75			=	2.925			
			2	X	5.4	X	0.75			=	8.100			
7.0	5.22	IRON AND STEEL WORK												
7.0		Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto all levels.									kg		97.774	
	5.22.6	Thermo-Mechanically Treated bars of grade Fe-500D or more.												
		8mm Jali	4	X	0.6	X	10	X	0.39	TOTAL=	9.36			
		12mm Main Column	4	X	2.0	X	4	X	0.89	TOTAL=	28.48			
		10mm Tie Bar	4	X	3.9	X	2	X	0.62	TOTAL=	19.34			
		10mm Tie Bar	4	X	5.4	X	2	X	0.62	TOTAL=	26.78			
		8mm Distr Column	13	X	0.2	X	4	X	0.39	TOTAL=	4.056			
		8mm Distr Tie Bar	125	X	0.2	X	1	X	0.39	TOTAL=	9.75			
8.0		CEMENT CONCRETE FLOORING												
8.0	11.3	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete.									sqm		24.570	
	11.3.1	40 mm thick with 20 mm nominal size stone aggregate	1	X	3.9	X	4.5	X	1	TOTAL=	17.55			
			1	X	3.9	X	0.9	X	1	TOTAL=	3.51			
			1	X	3.9	X	0.6	X	1	TOTAL=	2.34			
			1	X	3.9	X	0.3	X	1	TOTAL=	1.17			
												SUB TOTAL=.		
												Say		

Construction Of Boundary Wall with Step and flooring around the Existing 11KV Transformer at The Campus Of KBVS & AS University Nalbari For The Year Of 2024-25

SI No	NAME OF ITEM	QUANTITY	UNIT	RATE	AMOUNT
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.	2.250	Cum		
2	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	1.463	Cum		
3	Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete	15.795	Cum		
4	Brick on edge flooring with bricks of class designation 7.5 on a bed of 12 mm cement mortar, including filling the joints with same mortar, with common burnt clay non modular bricks:	23.310	Sqm		
5	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) : 6 graded stone aggregate 20 mm nominal size)	0.225	Cum		
6	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge; for the following grades of concrete..	1.935	Cum		
7	Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings, bases of columns, etc. for mass concrete	0.250	Sqm		
8	Centering and shuttering including strutting, propping etc. and removal of form for Lintels, beams, plinth beams, girders, bressumers and cantilevers	9.300	Sqm		
9	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.	11.025	Sqm		
10	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto all levels.Thermo-Mechanically Treated bars of grade Fe-500D or more.	97.774	kg		
11	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate	545.000	Sqm		
				Total=	
				SAY	

NOTE: This estimste taken by reference DSR 2021.

NOTE: All the rates are inclusive of taxes

BID FORWARDING LETTER

Date:.....

To,

The Registrar, i/c

Kumar Bhaskar Varma Sanskrit and Ancient Studies University

District: Nalbari

Assam-781337

Subject: Quotations for "Raising of Ground with CC flooring & steps around the existing 11 KV transformer".

I/We hereby confirm and declare that I/We have carefully studied the tender documents therein and undertake myself/ourselves to abide by the conditions laid down in the Quotations.

Yours faithfully,

Sign

Name

Date

Name of Firm

Registration No.

Address

Seal

To,

The Registrar, i/c

Kumar BhaskarVarma Sanskrit and Ancient Studies University

District: Nalbari

Assam-781337

TECHNICALBID
(PRO-FORMA)

1	Name of the Firm:	
2	Address of the Firm:	
3	Name of the Proprietor	
4	Mobile Number	
5	PAN No	
6	GST Registration No.	
7	Email Id	
8	Attach Photocopy of GST	
9	Bank Account No.	Type:
	IFSC Code:	
	Name of Bank:	Branch:

Self Attached Photocopy of Documents to be submitted:

1. GST (*Mandatory)
3. Pan Card
4. Income Tax Clearance Certificate (* Mandatory)
5. Bank Pass Book (shows AC No & IFSC Code)

Sign

Name

Date

Seal